–QA5-TEST1-G0F–

Sample article for qa5-test1-g0f

Jane E Doe[1*†] and John RS Smith[1,2]

*Correspondence:
jane.e.doe@cambridge.co.uk
[1]Department of Zoology, Cambridge, Waterloo Road, London, UK
Full list of author information is available at the end of the article
†Equal contributor

Abstract

First part title: Text for this section.

Second part title: Text for this section.

Keywords: sample; article; author

Content

Text and results for this section, as per the individual journal's instructions for authors.

Section title

Text for this section ...

Sub-heading for section

Text for this sub-heading ...

Sub-sub heading for section

Text for this sub-sub-heading ...

Sub-sub-sub heading for section Text for this sub-sub-sub-heading ... In this section we examine the growth rate of the mean of Z_0, Z_1 and Z_2. In addition, we examine a common modeling assumption and note the importance of considering the tails of the extinction time T_x in studies of escape dynamics. We will first consider the expected resistant population at vT_x for some $v > 0$, (and temporarily assume $\alpha = 0$)

$$E\big[Z_1(vT_x)\big] = E\bigg[\mu T_x \int_0^{v\wedge 1} Z_0(uT_x)\exp\big(\lambda_1 T_x(v-u)\big)\,du\bigg].$$

If we assume that sensitive cells follow a deterministic decay $Z_0(t) = xe^{\lambda_0 t}$ and approximate their extinction time as $T_x \approx -\frac{1}{\lambda_0}\log x$, then we can heuristically estimate the expected value as

$$\begin{aligned} E\big[Z_1(vT_x)\big] &= \frac{\mu}{r}\log x \int_0^{v\wedge 1} x^{1-u}x^{(\lambda_1/r)(v-u)}\,du \\ &= \frac{\mu}{r}x^{1-\lambda_1/\lambda_0 v}\log x \int_0^{v\wedge 1} x^{-u(1+\lambda_1/r)}\,du \\ &= \frac{\mu}{\lambda_1-\lambda_0}x^{1+\lambda_1/rv}\bigg(1-\exp\bigg[-(v\wedge 1)\bigg(1+\frac{\lambda_1}{r}\bigg)\log x\bigg]\bigg). \quad (1) \end{aligned}$$

Thus we observe that this expected value is finite for all $v > 0$ (also see [1, 2, 3, 4, 5]).

Competing interests
The authors declare that they have no competing interests.

Author's contributions
Text for this section . . .

Acknowledgements
Text for this section . . .

Author details
[1]Department of Zoology, Cambridge, Waterloo Road, London, UK. [2]Marine Ecology Department, Institute of Marine Sciences Kiel, Düsternbrooker Weg 20, 24105 Kiel, Germany.

References
1. Koonin, E.V., Altschul, S.F., Bork, P.: Brca1 protein products: functional motifs. Nat Genet **13**, 266–267 (1996)
2. Kharitonov, S.A., Barnes, P.J.: Clinical Aspects of Exhaled Nitric Oxide. in press
3. Zvaifler, N.J., Burger, J.A., Marinova-Mutafchieva, L., Taylor, P., Maini, R.N.: Mesenchymal cells, stromal derived factor-1 and rheumatoid arthritis [abstract]. Arthritis Rheum **42**, 250 (1999)
4. Jones, X.: Zeolites and synthetic mechanisms. In: Smith, Y. (ed.) Proceedings of the First National Conference on Porous Sieves: 27-30 June 1996; Baltimore, pp. 16–27 (1996). Stoneham: Butterworth-Heinemann
5. Margulis, L.: Origin of Eukaryotic Cells. Yale University Press, New Haven (1970)

Figures

Figure 1 Sample figure title. A short description of the figure content should go here.

Figure 2 Sample figure title. Figure legend text.

Tables

Table 1 Sample table title. This is where the description of the table should go.

	B1	B2	B3
A1	0.1	0.2	0.3
A2	...	..	.
A3	..	.	.

Additional Files
Additional file 1 — Sample additional file title
Additional file descriptions text (including details of how to view the file, if it is in a non-standard format or the file extension). This might refer to a multi-page table or a figure.

Additional file 2 — Sample additional file title
Additional file descriptions text.